



CENTER FOR COALFIELD JUSTICE

P.O. Box 4023 • 31 East Chestnut Street • Washington, PA
15301 • 724.229.3550 • www.centerforcoalfieldjustice.org •
info@centerforcoalfieldjustice.org

You can search this document for notices pertaining to your township by typing "CTRL F" or "command F" and typing the name of your township in the search bar.

Notices from the Pennsylvania Bulletin precede those from the Observer-Reporter.

Public Notices from

Notices from the Pennsylvania Bulletin:

Volume 54, Number 28 - July 13, 2024

Washington County Notices

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

- **PA0043435**, Sewage, SIC Code 4952, **L & S Wastewater Inc.**, P.O. Box 254, Cecil, PA 15321-0254. Facility Name: L & S WW, Inc. STP. This existing facility is located in Cecil Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Coal Run (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	IMAX
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Daily Max	Report	XXX
				XXX		
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
				Report		
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min		Daily Max	
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.02
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	25	XXX	50
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
				200		
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18.0
				Geo Mean		
Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Dry stream discharge
- Notification of designation of responsible operator
- Solids management for non-lagoon system
- TRC effluent limits below QLs

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

- **PA0044679**, Sewage, SIC Code 4952, **Pigeon Creek Sanitary Authority**, 508 Main Street, Bentleyville, PA 15314-1537. Facility Name: Pigeon Creek. This existing facility is located in Fallowfield Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pigeon Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Interim Limits.

Parameters	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			
	<i>Weekly</i>		<i>Daily</i>			
	<i>Average Monthly</i>	<i>Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>IMAX</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Daily Max 6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.24	XXX	0.8
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	213	319	XXX	25.0	37.5	50
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	178.6	268.0	XXX	21.0	31.5	42
Total Suspended Solids	255	383	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	76.6	114.8	XXX	9.0	13.5	18
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	25.5	38.3	XXX	3.0	4.5	6
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Final Limits.

Parameters	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			
	<i>Weekly</i>		<i>Daily</i>			
	<i>Average Monthly</i>	<i>Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	<i>IMAX</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Daily Max 6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.24	XXX	0.8
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	213	319	XXX	25.0	37.5	50
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	178.6	268.0	XXX	21.0	31.5	42
Total Suspended Solids	255	383	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	86.8	130.2	XXX	10.2	15.3	20.4
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	25.5	38.3	XXX	3.0	4.5	6
Total Phosphorus	XXX	XXX	XXX	2.0	4.0	5
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	26.0	41.0	66
Cyanide, Free (ug/L)	XXX	XXX	XXX	7.3	11.4	18.2
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Limits.

Parameters	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			
	<i>Weekly</i>		<i>Weekly</i>			
	<i>Average Monthly</i>	<i>Average</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Average</i>	<i>IMAX</i>
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						

The proposed effluent limits for Outfall 001 are based on a design flow of 1.02 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			Report
	Average Monthly	Weekly		Average Monthly	Weekly	
		Average	Minimum		Average	
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFBS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

- **PAI136118**, MS4, **South Strabane Township, Washington County**, 550 Washington Road, Washington, PA 15301-9621.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in South Strabane Township, **Washington County**. The receiving stream(s), Unnamed Tributary of Chartiers Creek (HQ-WWF) and Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for High Quality Waters—Warm Water Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

- **PAI136131**, MS4, **Union Township, Washington County**, 3904 Finleyville Elrama Road, Finleyville, PA 15332-3011.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Union Township, **Washington County**. The receiving streams, Piney Fork (TSF), Peters Creek (TSF), Tributary 39497 to Peters Creek (TSF), Tributary 39494 to Peters Creek (TSF), Tributary 39502 to Peters Creek (TSF), Monongahela River (WWF), Tributary 39572 to Monongahela River (WWF), and Tributary 39573 to Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Trout Stocking and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

- **PA0001571**, Storm Water, SIC Code 4911, **Trogon Development LLC**, P.O. Box 1636, Canovanas, PR 00729. Facility Name: Retired Elrama Generating Station. This existing facility is located in Union Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated Industrial Stormwater.

The receiving stream, Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)		Daily	
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	IMAX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)		Daily	
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	IMAX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

- **PA0254983**, Storm Water, SIC Code 1241, 4491, **Donora Dock LLC**, 1501 Ligonier Street, Latrobe, PA 15650-2912. Facility Name: Donora Terminal. This existing facility is located in Carroll Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.85 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Daily			Daily		
	Average Monthly	Maximum	Instant Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	7.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 45.24 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		
	Daily			Daily		
	Average Monthly	Maximum	Instant Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.76 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			
	Daily		Daily			
	Average Monthly	Maximum Instant	Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	7.0	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 27.14 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			
	Daily		Daily			
	Average Monthly	Maximum Instant	Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Phosphorus	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

- **PAS806111**, Storm Water, SIC Code 4213, **Old Dominion Freight Line Inc.**, 500 Old Dominion Way, Thomasville, NC 27360-8923. Facility Name: Old Dominion Freight Line Inc. This existing facility is located in North Strabane Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary of Chartiers Creek (HQ-WWF), is located in State Water Plan watershed 20-F and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			
	Daily		Daily		Daily	
	Average Monthly	Instant	Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	10.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	30.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	30.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	5.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	2.0	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	1.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)			
	Daily		Daily		Daily	
	Average Monthly	Instant	Minimum	Average Monthly	Maximum	IMAX
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	10.0	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	30.0	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	30.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	5.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	2.0	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	1.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	0.75	XXX
Iron, Total	XXX	XXX	XXX	XXX	3.0	XXX
Manganese, Total	XXX	XXX	XXX	XXX	1.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

SAFE DRINKING WATER

- Application No. 6324502, Construction, Public Water Supply.

Applicant Pennsylvania American Water Company

Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Donegal Township

County Washington County

Responsible Official	Bruce Aiton 852 Wesley Drive Mechanicsburg, PA 17055
Consulting Engineer	PA American Water Company 300 Galley Road McMurray, PA 15317
Application Received	June 26, 2024
Description	The two (2) existing pumps at the Degarmo Lane Booster Station are to be replaced with 53 GPM/3HP at 150 ft TDH.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

- **Construction Permit 0224533MA. PWSID No. 5020039. Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Robinson Township, **Washington County**. Application received: June 4, 2024. Permit Issued: June 26, 2024. Installation of a 212-gallon sodium hypochlorite day tank at the Findlay Township Chemical Feed Building.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

- **Mining Permit No. 63120105. NPDES No. PA0252298. Amerikohl Mining, Inc.**, 1384 State Route 711, Stahlstown, PA 15687, Somerset Township, **Washington County**. Permit renewal issued for reclamation only to an existing bituminous surface mine, affecting 50.2 acres. Receiving streams: North Branch Pigeon Creek and Monongahela River; classified for the following use: WWF. Application received: April 1, 2024. Issued: June 26, 2024.

Greene County Notices

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

- **PA0216593**, Industrial, SIC Code 4922, **Texas Eastern Trans LP**, P.O. Box 1642, Houston, TX 77251-1642. Facility Name: Holbrook Compressor Station. This existing facility is located in Richhill Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), North Fork Dunk Fork (TSF), is located in State Water Plan watershed 20-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.032 MGD.—Limits.

Parameters	<i>Mass Units (lbs/day)</i>		<i>Concentrations (mg/L)</i>			
	<i>Daily</i>		<i>Daily</i>			
	<i>Average Quarterly</i>	<i>Maximum Instant.</i>	<i>Minimum Average</i>	<i>Monthly</i>	<i>Maximum</i>	<i>IMAX</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
PCBs, Total (ng/L)	XXX	XXX	XXX	0.484	0.755	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (ng/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (ng/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

WQBELs BELOW QUANTITATION LIMITS

A. The parameter(s) listed as follows are subject to water quality-based effluent limits (WQBELs) in Part A of this permit that are necessary to comply with state water quality standards, but may be less than quantitation limits (QLs), as defined in 25 Pa. Code § 252.1, that are generally achievable by conventional analytical technology. The permittee shall analyze the parameter(s) using methods that will achieve the QL(s) as listed as follows. For the purpose of compliance, a statistical value reported on the DMR that is less than the QL(s) (i.e., "non-detect") will be considered to be in compliance.

Parameter Name	Quantitation Limit
PCBs, Total	1.75 µg/L

B. The permittee shall, where determined to be feasible by the permittee, achieve a QL less than the QL previously identified to improve the level of confidence that state water quality standards are being met in the receiving waters.

C. The permittee shall manage non-detect values and report statistical results to DEP in accordance with published DMR guidance (3800-BK-DEP3047). Where a mixed data set exists containing non-detect results and "detected" values (i.e., results greater than or equal to the QL), the QL shall be used for non-detect results to compute average statistical results.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

AIR QUALITY

- **PA-30-00194D: EQM Gathering Opco, LLC**, 2200 Energy Drive, Canonsburg, PA 15317, Morris Township, **Greene County**. On June 25, 2024, Air Quality Plan Approval No. PA-30-00194D was issued for modification of an existing tri-ethylene glycol dehydration unit, which is comprised of two (2) dehydration units with a combined total capacity of 240 MMscfd sharing a reboiler and a control device. The facility is proposing to install a new re-boiler and a new flare so that these two (2) dehydrators can operate independently at its "Callisto Compressor Station" located in Morris Township, Greene County. Application received: February 29, 2024. Issued: June 25, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

- **MB9915-0006. CNX Green Ventures, LLC**, Bowlby Hill Road, Spraggs, PA 15362; Blacksville Mitigation Bank, Wayne Township, **Greene County**. USACE Pittsburgh District (N: 39.731836°, W: -80.200870°).

Approved to operate, construct, and maintain the Blacksville Mitigation Bank. The project consists of restoration, enhancement, and conservation activities within approximately 822 acres of the UNT of Dunkard Creek watershed (WWF) above Lake Wilma. An unknown amount of the 822 acres comprising the site will be placed under restricted covenants. The project includes activities affecting uplands, floodplains, approximately 17,015 linear feet of water courses; and approximately 2.9 acres of wetland all within the watershed. The project proposes to result in 21,804 stream credits and 16.53 wetland credits which includes a proposed credit adjustment for providing restricted covenants in over 29,000 feet of additional headwaters. The project is intended to provide compensatory mitigation for impacts located within the Compensation Service Area 19. This application is being jointly evaluated as a mitigation bank by the Army Corps of Engineers under the 2008 Mitigation Rule.

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days

of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

- **E3005123-008. PennDOT District 12-0**, 825 N. Gallatin Ave. Ext., Uniontown, PA 15401, Monongahela Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: June 24, 2024. Issued: June 25, 2024.

E3005123-008, PennDOT District 12-0, 825 N. Gallatin Ave. Ext., Uniontown, PA 15401, Monongahela Township, Greene County; Pittsburgh ACOE District

To:

1. Remove the existing 115.91' by 47.1' Reinforced Concrete Closed Spandrel Deck Arch bridge with an under clearance of 11', and to construct and maintain a replacement 111' by 49.1' Single Span Composite Pre-Stressed Concrete Bulb-Tee Beam bridge with an under clearance of 13.6', having a permanent watercourse impact of 79 LF to Whiteley Creek (WWF), and a permanent floodway impact of 0.31 acre.
2. Construct and maintain two (2) 18" HDPE pipe outfall structures, namely OF-1, having a permanent watercourse impact of 17 LF, and OF-2, having a permanent watercourse impact of 13 LF, to Whiteley Creek (WWF).
3. Construct and maintain a 154-LF rock lined ditch, consisting of R4 stone and having a permanent floodway impact of 0.02 acre.
4. Construct and maintain a temporary stream diversion and other erosion and sediment control structures, having a combined temporary watercourse impact of 172 LF to Whiteley

Creek (WWF), a temporary watercourse impact of 34 LF to an unnamed tributary to Whiteley Creek (WWF), as well as a temporary floodway impact of 0.13 acre.

For the purpose of replacing a structure, carrying SR 88 over Whiteley Creek. The project will have a cumulative and permanent impact to 79 LF of watercourses, and a cumulative temporary impact to 206 LF of watercourses. The project will also have approximately 0.31 acre of permanent impact and 0.13 acre of temporary impact, to the floodway of Whiteley Creek.

The project site is located approximately 1,800 LF from the intersection of PA Route 88 and Sigsbee Road (Masontown, PA USGS topographic quadrangle; N: -39°, 49', 16.7465"; W: -79°, 57', 8.1734"; Sub-basin 19G; USACE Pittsburgh District), in Monongahela Township, Greene County.

Notices from The Observer-Reporter:

Legal Notice

Published in Observer-Reporter on July 15, 2024

Location

Washington, Greene County, Pennsylvania

Notice Text

Meeting

SOUTH STRABANE TOWNSHIP

LEGAL NOTICE

NOTICE IS HEREBY GIVEN the South Strabane Township Traffic Impact Fee Advisory Committee will hold a Meeting on Thursday, July 18, 2024, at 6 p.m. in the Municipal Building (550 Washington Road), for the purpose of developing an Impact Fee Ordinance.

Jeffrey L. Ziegler

Township Manager

7-15